

LBD8355/10 6W Bidirecional soundprojecor

www.boschsecurity.com



BOSCH
Invented for life






- Suitable for speech and music reproduction.
- Simple power setting.
- Option of mounting on Ceiling or Wall.
- Robust self-extinguishing ABS enclosure.

The LBD8355/10 is a sound projector for speech and music reproduction in indoor or outdoor applications such as shopping centers, factory grounds and sports fields.

System overview


Sound projectors are intended for applications where directing the sound beam is desirable. Similar in concept to a spotlight, a sound projector can be used to provide localized sound reproduction. Typical examples include restaurants, exhibitions, factory grounds and shopping centers. The enclosures are made from high-impact self extinguishing ABS. The units will be supplied with the sufficient 1m of length two core cable for ease of connection.





Acoustical performance Specified per Octave

	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
SPL1.1	94.2	92.3	91.3	96.3	98.6	90.1
SPL Max	103. 2	101. 3	100.3	105.3	107.6	99.1
Q Factor	10.8	10.7	11.1	12.3	14.0	16.7
Efficien cy (in %)	1.7	1.1	0.9	2.7	4.6	0.6
H. Angle	180	180	180	180	95	95
V. Angle	180	180	180	170	90	80



All dimensions in mm

Parts included

Quantity	Components
1	LBD8355/10 Bidirecional Sound Projector

Technical specifications

Electrical

Maximum Power	8W
Rated Power	6W
Sound Pressure level at 6 W / 1 W (1 KHz at 1m)	100.3 dB / 91.3 dB (SPL)
Effective frequency range (-10 dB)	150 Hz – 8kHz
Opening Angle at 1 KHz / 4 KHz (-6 dB)	180° / 95°
Rated Voltage	100 V
Rated impedance	1667 ohm

Mechanical

Dimension (Diameter x Length)	154 x 200(in mm)
Weight	2.1 kg

Environmental

Operating temperature	-25 °C to +55 °C
Storage temperature	-40 °C to +70 °C

Ordering information

LBD8355/10 6W Bidirecional soundprojecor
Order number **LBD8355/10**

Represented by:

Americas:

Bosch Security Systems, Inc.
130 Perinton Parkway
Fairport, New York, 14450, USA
Phone: +1 800 289 0096
Fax: +1 585 223 9180
security.sales@us.bosch.com
www.boschsecurity.us

Europe, Middle East, Africa:

Bosch Security Systems B.V.
P.O. Box 80002
5617 BA Eindhoven, The Netherlands
Phone: + 31 40 2577 284
Fax: +31 40 2577 330
emea.securitysystems@bosch.com
www.boschsecurity.com

Asia-Pacific:

Robert Bosch (SEA) Pte Ltd, Security
Systems
11 Bishan Street 21
Singapore 573943
Phone: +65 6571 2808
Fax: +65 6571 2699
apr.securitysystems@bosch.com
www.boschsecurity.asia

China:

Bosch (Shanghai) Security Systems Ltd.
203 Building, No. 333 Fuquan Road
North IBP
Changning District, Shanghai
200335 China
Phone +86 21 22181111
Fax: +86 21 22182398
www.boschsecurity.com.cn

America Latina:

Robert Bosch Ltda Security Systems Division
Via Anhanguera, Km 98
CEP 13065-900
Campinas, Sao Paulo, Brazil
Phone: +55 19 2103 2860
Fax: +55 19 2103 2862
latam.boschsecurity@bosch.com
www.boschsecurity.com